

# TOVO



## HAMILTON

DESCRIPTION	Mini Adjustable Spot
CODES	9020
FINISHES	White, Black, Copper, Brass, Stainless Steel, Custom
COLOUR TEMP	2700K, 3000K
BEAM ANGLE	38
CRI	≥90
LUMEN OUTPUT	420Lm
WATTAGE	4W
FIXTURE VOLTAGE	24V DC Constant Voltage 240V AC
DIMMING	Based On Driver and Voltage Selection
DRIVER	Remote Driver Required for 24V DC Selection Integral Driver Provided for 240V AC Selection
DRIVER OPTIONS	Non-Dim, Phase, Touch, DALI
IP RATING	IP66

Notes:  
All data stipulated are nominal values based on 2700K with accuracy of +/- 5%.



WHITE



BLACK



COPPER





BRASS



STAINLESS  
STEEL



CUSTOM



TILT  
140°



ROTATION  
355°



INGRESS  
IP66

# HAMILTON


## MANUFACTURING OPTIONS

FIXTURE						DRIVER
CODE	FINISH	BACK PLATE	CCT	BEAM ANGLE	VOLTAGE	DIMMING
9020	WH - White	SB - Standard Base	27 - 2700K	38 - 38° Medium	24V - 24V DC	ND - Non-Dim
	BLK - Black	FRN - Flat Round	30 - 3000K			PH - Phase Dim
	CU - Copper	FSQ - Flat Square				TH - Touch Dim
	BR - Brass	FRE - Flat Rectangular				DA - DALI
	SS - Stainless Steel					
CF - Custom Finish						
		BACK PLATE	CCT	BEAM ANGLE	VOLTAGE	DIMMING
		IRN - Integral Round	27 - 2700K	38 - 38° Medium	* 240V - 240V AC	ND - Non-Dim
		ISQ - Integral Square	30 - 3000K			

Example Code: **9020\_CU\_FSQ\_27\_38\_24V**

Notes:  
 \* 240V AC Fixture are only available with Integral Back Plates. A non-dimmable AC to DC driver is provided inside the Back Plate.  
 Phase dimmable drivers are not recommended for 24V DC fixtures due to possible flickering, but can be provided upon request.

## BACK PLATES



Notes:  
 All screws provided for installation into different materials.