

## HAMILTON

DESCRIPTION Mini Adjustable Spot

CODES 9020

FINISHES White, Black, Copper, Brass, Stainless Steel,

Aged Copper, Aged Brass, Custom

COLOUR TEMP 2700K, 3000K
BEAM ANGLE 38
CRI ≥90
LUMEN OUTPUT 420Lm
WATTAGE 4W

FIXTURE VOLTAGE 24V DC Constant Voltage

240V AC

DIMMING Based On Driver and Voltage Selection

DRIVER Remote Driver Required for 24V DC Selection

Integral Driver Provided for 240V AC Selection

DRIVER OPTIONS Non-Dim, Phase, Touch, DALI

IP RATING IP66

Notes

All data stipulated are nominal values based on 2700K with accuracy of +/- 5%.





STAINLESS STEEL





COTTE

BRASS



AGED COPPER








INGRESS





## MANUFACTURING OPTIONS


FIXTURE						DRIVER
CODE	FINISH	BACK PLATE	ССТ	BEAM ANGLE	VOLTAGE	DIMMING
9020	WH - White	SB - Standard Base	<b>27</b> - 2700K	<b>38</b> - 38° Medium	24V - 24V DC	ND - Non-Dim
	BLK - Black	FRN - Flat Round	<b>30</b> - 3000K			PH - Phase Dim
	CU - Copper	FSQ - Flat Square				TH - Touch Dim
	BR - Brass	FRE - Flat Rectangular				DA - DALI
	SS - Stainless Steel					
	AC - Aged Copper					
	AB - Aged Brass					
	<b>CF</b> - Custom Finish					
		BACK PLATE	ССТ	BEAM ANGLE	VOLTAGE	DIMMING
		IRN - Integral Round	<b>27</b> - 2700K	<b>38</b> - 38° Medium	* <b>240V</b> - 240V AC	ND - Non-Dim
		ISQ - Integral Square	<b>30</b> - 3000K			•

Example Code: 9020\_CU\_FSQ\_27\_38\_24V

Notes:

\* 240V AC Fixture are only available with Integral Back Plates. A non-dimmable AC to DC driver is provided inside the Back Plate.

Phase dimable drivers are not recommended for 24V DC fixtures due to possible flickering, but can be provided upon request.



Notes: All screws provided for installation into different materials.