
TOVO



NOOSA

DESCRIPTION	Adjustable Spotlight
CODES	2600
FINISHES	White, Black, Medium Bronze, Copper, Brass, Stainless Steel, Aged Copper, Aged Brass, Custom
COLOUR TEMP	2700K, 3000K
BEAM ANGLE	60, 38, 24
CRI	≥90
LUMEN OUTPUT	676Lm
WATTAGE	8W
FIXTURE VOLTAGE	24V DC Constant Voltage 240V AC
DIMMING	Based On Driver and Voltage Selection
DRIVER	Remote Driver Required for 24V DC Selection Integral Driver Provided for 240V AC Selection
DRIVER OPTIONS	Non-Dim, Phase, Touch, DALI
IP RATING	IP66



Notes:
All data stipulated are nominal values based on 2700K with accuracy of +/- 5%.





TOVO LIGHTING I 726 PITTWATER ROAD, BROOKVALE, SYDNEY, NSW AUSTRALIA 2100
TELEPHONE +61 2 9939 1122 I OFFICE@ TOVOLIGHTING.COM.AU I TOVOLIGHTING.COM.AU

NOOSA

SURFACE MOUNT ADJUSTABLE SPOTLIGHT

FINISH



WH White | BLK Black | MB Medium Bronze | SS Stainless Steel | CU Copper | AC Aged Copper | BR Brass | AB Aged Brass | CF Custom Finish

BACKPLATE TYPES



PFRN Premium Flat Round | PFSQ Premium Flat Square | PFRE Premium Flat Rectangular | FRN Flat Round | FSQ Flat Square | FRE Flat Rectangular | SB Standard | IRN Integral Round | ISQ Integral Square

CCT



27 2700K | 30 3000K

BEAM ANGLE



24 24° Lens | 38 38° Lens | 60 60° Lens

FIXTURE

CODE	FINISH	BACK PLATE	CCT	BEAM ANGLE	VOLTAGE
2600	**SS** - Stainless Steel	**PFRN** - Premium Flat Round	**27** - 2700K	**24** - 24° Narrow	**24V** - 24V DC
	WH - White	**PFSQ** - Flat Flat Square	**30** - 3000K	**38** - 38° Medium	
	BLK - Black	**PFRE** - Flat Round		**60** - 60° Wide	
	MB - Medium Bronze	**FRN** - Flat Square			
	CU - Copper	**FSQ** - Standard Backplate			
	AC - Aged Copper	**FRE** - Flat Rectangular			
	CF - Custom Finish	**SB** - Standard Backplate			

DRIVER

DRIVER
ND - Non Dim
PH - Phase*
DA - DALI
TH - Touch

BACK PLATE	CCT	BEAM ANGLE	VOLTAGE
IRN - Integral Round	**27** - 2700K	**24** - 24° Narrow	**240V** - 240V AC
ISQ - Integral Square	**30** - 3000K	**38** - 38° Medium	
		60 - 60° Wide	

DRIVER
ND - Non Dim

FINISH	BACK PLATE	CCT	BEAM ANGLE	VOLTAGE
BR - Brass	**PFRN** - Premium Flat Round	**27** - 2700K	**24** - 24° Narrow	**24V** - 24V DC
AB - Aged Brass	**PFSQ** - Flat Flat Square	**30** - 3000K	**38** - 38° Medium	
	PFRE - Flat Round		**60** - 60° Wide	
	FRN - Flat Square			
	FSQ - Standard Backplate			
	FRE - Flat Rectangular			

DRIVER
ND - Non Dim
PH - Phase*
DA - DALI
TH - Touch

Example Code: **2600_CU_FRN_27_60_24V**

Notes:
* Phase Dimmable drivers are not recommended for 24V DC fixtures due to possible flickering, but can be provided upon request.


Hardware are visible screws are colour coordinated to the backplate finish. All backplates come with standard mounting screws.
BR, CU, AB, AC - Brass Pan-Head
SS - Stainless Steel Phillips-Head
WH, BLK, MB, CF - Colour Matched Phillips-Head


TOVO Lighting
726 Pittwater Road, Brookvale, NSW 2100 Australia
E: office@tovolighting.com.au
Ph: +61 2 9939 1122


NOOSA

SURFACE MOUNT ADJUSTABLE SPOTLIGHT

PREMIUM FLAT ROUND










PARTS - 1 x Premium Backplate, 1 x Wall Plate, 2 x 10G x 30mm Countersunk Phillips Head Screws, 2 x Wall Plugs (8 x 40mm), 1 x Grub Screw (M3 x 10), 1 x Allen Key (1.5mm)

PREMIUM FLAT SQUARE









PARTS - 1 x Premium Backplate, 1 x Wall Plate, 2 x 10G x 30mm Countersunk Phillips Head Screws, 2 x Wall Plugs (8 x 40mm), 1 x Grub Screw (M3 x 10), 1 x Allen Key (1.5mm)

WALL PLATE










NOOSA

SURFACE MOUNT ADJUSTABLE SPOTLIGHT

PREMIUM FLAT RECTANGULAR






PARTS - 1 x Premium Backplate, 1 x Wall Plate, 2 x 10G x 30mm Countersunk Phillips Head Screws, 2 x Wall Plugs (8 x 40mm), 1 x Grub Screw (M3 x 10), 1 x Allen Key (1.5mm)

WALL PLATE






Installation Guide
https://tovolighting.com.au/tovo-backplate-installation-guidelines/


TOVO Lighting
726 Pittwater Road, Brookvale, NSW 2100 Australia
E: office@tovolighting.com.au
Ph: +61 2 9939 1122

NOOSA

SURFACE MOUNT ADJUSTABLE SPOTLIGHT

FLAT SQUARE










PARTS - 1 x Flat Backplate, 2 x 6G (3.5 x 25mm) Screws

FLAT ROUND








PARTS - 1 x Flat Backplate, 2 x 6G (3.5 x 25mm) Screws

FLAT RECTANGULAR








PARTS - 1 x Flat Backplate, 2 x 6G (3.5 x 25mm) Screws


TOVO Lighting
726 Pittwater Road, Brookvale, NSW 2100 Australia
E: office@tovolighting.com.au
Ph: +61 2 9939 1122

NOOSA

SURFACE MOUNT ADJUSTABLE SPOTLIGHT


STANDARD






PARTS - 1 x Standard Backplate, 1 x Wall Plate, 2 x 6G (3.5 x 25mm) Pan-Head Screws, 2 x M3 x 6mm Pan-Head Screws

WALL PLATE






TOVO Lighting
726 Pittwater Road, Brookvale, NSW 2100 Australia
E: office@tovolighting.com.au
Ph: +61 2 9939 1122


NOOSA

SURFACE MOUNT ADJUSTABLE SPOTLIGHT

INTEGRAL ROUND










PARTS - 1 x Standard Backplate, 1 x Wall Plate, 2 x 6G (3.5 x 25mm) Pan-Head Screws, 2 x M3 x 6mm Pan-Head Screws

WALL PLATE









TOVO Lighting
726 Pittwater Road, Brookvale, NSW 2100 Australia
E: office@tovolighting.com.au
Ph: +61 2 9939 1122

NOOSA

SURFACE MOUNT ADJUSTABLE SPOTLIGHT

INTEGRAL SQUARE





PARTS - 1 x Integral Backplate, 1 x Wall Plate, 2 x 6G (3.5 x 25mm) Pan-Head Screws, 2 x M3 x 6mm Pan-Head Screws

WALL PLATE

