


TOVO



NOOSA TWIN

DESCRIPTION	Twin Head Adjustable Spotlight
CODES	2350
FINISHES	White, Black, Copper, Brass, Stainless Steel, Aged Copper, Aged Brass, Custom, Medium Bronze
COLOUR TEMP	2700K, 3000K
BEAM ANGLE	60, 38, 24
CRI	≥90
LUMEN OUTPUT	1352Lm (676Lm per head)
WATTAGE	16W (8W per head)
FIXTURE VOLTAGE	24V DC Constant Voltage 240V AC
DIMMING	Based On Driver and Voltage Selection
DRIVER	Remote Driver Required for 24V DC Selection Integral Driver Provided for 240V AC Selection
DRIVER OPTIONS	Non-Dim, Phase, Touch, DALI
IP RATING	IP66



NOOSA TWIN

ADJUSTABLE SPOTLIGHT WITH TWIN HEADS

MANUFACTURING OPTIONS

TOVO

FINISH



WH
White



BLK
Black



MB
Medium Bronze



SS
Stainless Steel



CU
Copper



AC
Aged Copper



BR
Brass



AB
Aged Brass



CF
Custom Finish

BACKPLATES



FOD
Flat Oval
Double



FRD
Flat
Rectangular
Double



IRD
Integral
Rectangular
Double

CCT



27
2700K



30
3000K



40
4000K



27/65
Tunable White

BEAM ANGLE



24
24° Lens



38
38° Lens



60
60° Lens

FIXTURE						DRIVER
CODE	FINISH	BACK PLATE	CCT	BEAM ANGLE	VOLTAGE	DRIVER
2350	SS - Stainless Steel	FOD - Flat Oval Double	27 - 2700K	24 - 24° Narrow	24V - 24V DC	ND - Non Dim PH - Phase** DA - DALI TH - Touch
	WH - White	FRD - Flat Rectangular Double	30 - 3000K	38 - 38° Medium		
	BLK - Black			60 - 60° Wide		
	MB - Medium Bronze					
	CU - Copper					
	AC - Aged Copper					
	BR - Brass					
	AB - Aged Brass					
	CF - Custom Finish					
						DRIVER
	FINISH	BACK PLATE	CCT	BEAM ANGLE	VOLTAGE	DRIVER
	SS - Stainless Steel	IRD - Integral Rectangular Double	27 - 2700K	24 - 24° Narrow	240V - 240V AC*	ND - Non Dim
	WH - White		30 - 3000K	38 - 38° Medium		
	BLK - Black			60 - 60° Wide		
	MB - Medium Bronze					
	CU - Copper					
	AC - Aged Copper					
	CF - Custom Finish					

Example Code: 2350_CU_FOD_27_38_24V

Notes:

* 240V AC Fixture is only available with Integral Backplate. A non-dimmable AC to DC driver is provided inside the backplate.

** Phase Dimmable drivers are not recommended for 24V DC fixtures due to possible flickering, but can be provided upon request.

All backplates come with standard mounting screws.

Visible screws and hardware are colour coordinated to the backplate finish.

BR, CU, AB, AC - Brass Pan-Head

SS - Stainless Steel Phillips-Head

WH, BLK, MB, CF - Colour Matched Phillips-Head




NOOSA TWIN

ADJUSTABLE SPOTLIGHT WITH TWIN HEADS

BACKPLATES




TOVO

INTEGRAL RECTANGULAR DOUBLE



PARTS - 1 x Integral Backplate, 1 x Wall Plate, 2 x 6G (3.5 x 25mm) Pan-Head Screws, 2 x M3 x 6mm Pan-Head Screws

INTEGRAL WALL PLATE




NOOSA TWIN

ADJUSTABLE SPOTLIGHT WITH TWIN HEADS

BACKPLATES


TOVO

FLAT RECTANGULAR DOUBLE



PARTS - 1 x Flat Backplate, 2 x 6G (3.5 x 25mm) Screws

FLAT OVAL DOUBLE



PARTS - 1 x Flat Backplate, 2 x 6G (3.5 x 25mm) Screws