

TOVO


BURLEIGH ADJUSTABLE

DESCRIPTION	Adjustable Surface Mounted Spotlight
CODES	3453
FINISHES	White, Black, Copper, Brass, Stainless Steel, Custom, Aged Copper, Aged Brass, Medium Bronze
COLOUR TEMP	2700K, 3000K
BEAM ANGLE	*60, 38, 24
CRI	≥90
LUMEN OUTPUT	676Lm
WATTAGE	8W
FIXTURE VOLTAGE	24V DC Constant Voltage
DIMMING	Based On Driver and Voltage Selection
DRIVER	Remote Driver Required for 24V DC Selection
DRIVER OPTIONS	Non-Dim, Phase, Touch, DALI
IP RATING	IP66

Notes

*60 degree beam angles as a standard:

All data stipulated are nominal values based on 2700K with accuracy of +/- 5%.



WHITE



BLACK



COPPER



AGED
COPPER



MEDIUM
BRONZE



BRASS



STAINLESS
STEEL



CUSTOM



AGED
BRASS



TILT
140°



ROTATION
270°



INGRESS
IP66

BURLEIGH ADJUSTABLE

SURFACE MOUNT ADJUSTABLE SPOTLIGHT

MANUFACTURING OPTIONS

TOVO

FINISH



WH
White



BLK
Black



MB
Medium Bronze



SS
Stainless Steel



CU
Copper



AC
Aged Copper



BR
Brass



AB
Aged Brass



CF
Custom Finish

BACKPLATES



PFRN
Premium
Flat Round



PFSQ
Premium
Flat Square



FRN
Flat Round



FSQ
Flat Square



SB
Standard

CCT



27
2700K



30
3000K

BEAM ANGLE



24
24° Lens



38
38° Lens



60
60° Lens

FIXTURE						DRIVER
CODE	FINISH	BACK PLATE	CCT	BEAM ANGLE	VOLTAGE	DRIVER
3453	SS - Stainless Steel	PFRN - Premium Flat Round	27 - 2700K	24 - 24° Narrow	24V - 24V DC	ND - Non Dim
	WH - White	PFSQ - Flat Flat Square	30 - 3000K	38 - 38° Medium		PH - Phase*
	BLK - Black	FRN - Flat Round		60 - 60° Wide		DA - DALI
	MB - Medium Bronze	FSQ - Flat Square				TH - Touch
	CU - Copper	SB - Standard Backplate				
	AC - Aged Copper					
	CF - Custom Finish					
	FINISH	BACK PLATE	CCT	BEAM ANGLE	VOLTAGE	DRIVER
	BR - Brass	PFRN - Premium Flat Round	27 - 2700K	24 - 24° Narrow	24V - 24V DC	ND - Non Dim
AB - Aged Brass	PFSQ - Flat Flat Square	30 - 3000K	38 - 38° Medium	PH - Phase*		
	FRN - Flat Round		60 - 60° Wide	DA - DALI		
	FSQ - Flat Square			TH - Touch		

Example Code: **3453_CU_FRN_27_38_24V**

Notes:

* Phase Dimmable drivers are not recommended for 24V DC fixtures due to possible flickering, but can be provided upon request.

Hardware are visible screws are colour coordinated to the backplate finish. All backplates come with standard mounting screws.

BR, CU, AB, AC - Brass Pan-Head

SS - Stainless Steel Phillips-Head

WH, BLK, MB, CF - Colour Matched Phillips-Head


BURLEIGH ADJUSTABLE

SURFACE MOUNT ADJUSTABLE SPOTLIGHT

BACKPLATES


TOVO

PREMIUM FLAT ROUND




PARTS - 1 x Premium Backplate, 1 x Wall Plate, 2 x 10G x 30mm Countersunk Phillips Head Screws, 2 x Wall Plugs (8 x 40mm), 1 x Grub Screw (M3 x 10), 1 x Allen Key (1.5mm)

PREMIUM FLAT SQUARE



PARTS - 1 x Premium Backplate, 1 x Wall Plate, 2 x 10G x 30mm Countersunk Phillips Head Screws, 2 x Wall Plugs (8 x 40mm), 1 x Grub Screw (M3 x 10), 1 x Allen Key (1.5mm)

WALL PLATE





BURLEIGH ADJUSTABLE

SURFACE MOUNT ADJUSTABLE SPOTLIGHT

BACKPLATES



TOVO

FLAT SQUARE



PARTS - 1 x Flat Backplate, 2 x 6G (3.5 x 25mm) Screws

FLAT ROUND



PARTS - 1 x Flat Backplate, 2 x 6G (3.5 x 25mm) Screws


BURLEIGH ADJUSTABLE

SURFACE MOUNT ADJUSTABLE SPOTLIGHT

BACKPLATES

TOVO

STANDARD



PARTS - 1 x Standard Backplate, 1 x Wall Plate, 2 x 6G (3.5 x 25mm) Pan-Head Screws, 2 x M3 x 6mm Pan-Head Screws

STANDARD WALL PLATE

